




Fineboring Tools

Radial adjustment, μm -accurate adjustable

1 cutting edge $\varnothing 7 - 20 \text{ mm}$ internal coolant



Part nr. 20021									
Code	Drawing nr.		b	$\varnothing D$	$\varnothing d$	S	L_1	L	Inserts
7,000	H1035-0700 2016R	●	3.9	7 - 8	16	20	28	76	W1035-...L
8,000	H1035-0800 2016R	●	3.9	8 - 9	16	20	28	76	I
9,000	H1035-0900 2016R	●	3.9	9 - 10	16	20	28	76	↓
10,000	H2850-1000 2516R	●	5	10 - 11	16	25	35	83	W2850-...L
11,000	H2850-1100 2516R	●	5	11 - 12	16	25	35	83	I
12,000	H2850-1200 3016R	●	5	12 - 13	16	30	40	88	I
13,000	H2850-1300 3016R	●	5	13 - 14	16	30	40	88	↓
14,000	H3570-1400 3516R	●	7	14 - 16	16	35	45	93	W357-...L
16,000	H3570-1600 4016R	●	7	16 - 18	16	40	50	98	I
18,000	H3570-1800 4516R	●	7	18 - 20	16	45	55	103	↓

● ex stock

We reserve the right to make technical changes.